LIFTHOR BALDUR

by Thor's Drone World

User's Manual

Congratulations on your new L1FThor BALDAR




The **New & Improved** Tablet holder for DJI Mavic AIR 2(s) / Mini 2 / Mavic 3 PRO



How to assemble:

Remove the wing knob thumbscrew located on the back of the aluminum base

Main aluminum base



*Note:

The aluminum base has pre-installed anti-slip pad to protect the RC from any scratches and keep it secure in place.



Gently lower the RC into the bay of the base with a slight inclination. Aligning the RC center to the mount





Reconnect the neck of the aluminum base between the antenna bars back to the main body.






Finish screwing back the wing knob thumbscrew in place

The RC is now securely mounted to the LifThor Baldur2 holder

Insert the star knob thumbscrew from below the utility mount through the small round hole.











The **NEW** universal clamp has **two** mechanisms to ensure your tablet sit secure and in place.

The **first** mechanism is the ratchet part, it can be extended in 6 fixed steps (3 on the top / 3 on the bottom) to adjust to the size of your tablet. We recommend setting it a little smaller (1" / 2.5cm) than the actual size of the tablet for a tight, secure fit.

Press and hold the side buttons to extend the ratchet mechanism




Compatible with most smart phones and tablets up to 12.9" Minimum expanding 6.5cm – Maximum expanding 23 cm




Alternative setups:

Integrated tripod mounting point located underneath the aluminum base









www.lifthor.com





support@lifthor.com