

LIFTHOR KRAKEN


by Thor's Drone World

User's Manual

- **LifThor KRAKEN** – Lanyard System for DJI RC PRO
- **LifThor KRAKEN Combo** – Lanyard & Tripod System for DJI RC PRO
- **LifThor KRAKEN** lanyard system **Upgrade** for LifThor RC PRO

Content:


- A. Front plate with extension arms
- B. 4x M4 thumb screws
- C. Adjustable lanyard



- Both the LifThor Kraken Standard and the Upgrade kit for LifThor RC PRO have the same content.

Combo Version Content:

- A. Front plate with extension arms
- B. 4x M4 thumb screws
- C. Adjustable lanyard
- D. Tripod mount with incorporated quick release bracket



How to mount the lanyard system:

Incorporate the extension arms to the front plate with (x2) the thumb screws provided. – There is no need to tight them hard



Once the extension arms are in place, align the front plate to the controller mounting points.



Secure the controller in place with the remaining (2x)M4 thumb screws provided. We recommend to place both screws before tightening them to maintain the alignment.



Strap the Lanyard to the extension arms. Note: The extension arms have multiple levels to pick from to be able to balance the weight distribution perfectly. for example, to balance the extra weight in the front (Tripod mount) use the lower levels or the top levels to counterbalance the additional weight in the back (monitor)





How to mount the tripod system:

Align the tripod mount to the front plate. There is no need to unmount the Controller from the bracket.



Secure the tripod mount in place with the small (size) screws and hex key provided. We recommend to place both screws before tightening them to maintain the alignment.



Remove the lower bracket of the quick release mount to fix it to your preferred tripod. Note the quick release bracket is universal so it can be mounted with either of the two mounting holes or both. Either way it will be secure properly.





- The extension arms can be removed when not in use.



How to Upgrade your LifThor RC PRO:

RC PRO:

Start by removing the front plate of your LifThor RC PRO with the small hex key provided in the LifThor KRAKEN Upgrade kit.



Once the extension arms for the LifThor KRAKEN's plate are fixed (step 1), align the plate with the controllers mounting point and secure it with the (x2) M4 screws.



Use the small (M3x6mm) screws and hex key provided to fix the Kraken front plate to the LifThor RC PRO mount as shown.



You have
successfully
upgraded your
LifThor RC PRO
utility mount!



www.lifthor.com



MADE IN
★ **NORWAY** ★
PREMIUM QUALITY

Designed & produced by a Norwegian Viking